ELSEVIER

Carbohydrate Research 297 (1997) IX–XI

CARBOHYDRATE RESEARCH

Contents

I Nomenclature of Carbohydrates

v Graphical Abstracts

Regular Papers

K.M. Koshy and J.M. Boggs (Toronto, Canada) 93 The effect of anomerism and hydration on the C–O–S vibrational frequency of D-galactose-3-sulfate determined by FTIR spectroscopy

B. Thu, G. Skjåk-Bræk (Trondheim, Norway), F. Micali, F. Vittur and R. Rizzo (Trieste, Italy) 101 The spatial distribution of calcium in alginate gel beads analysed by synchrotron-radiation induced X-ray emission (SRIXE)

J. Kerékgyártó, Z. Nagy and Z. Szurmai (Debrecen, Hungary) 107 Syntheses of spacer-armed carbohydrate model compounds

D. Lafont, P. Boullanger (Villeurbanne, France), F. Carvalho and P. Vottero (Grenoble, France) 117 A convenient access to β-glycosides of *N*-acetyllactosamine

J. Murata, T. Kitamoto, Y. Ohya and T. Ouchi (Osaka, Japan) 127 Effect of dimerization of the D-glucose analogue of muramyl dipeptide on stimulation of macrophage-like cells

W.-M. Kulicke, A.I. Lettau and H. Thielking (Hamburg, Germany) 135 Correlation between immunological activity, molar mass, and molecular structure of different (1 → 3)-β-D-glucans

H. Maaheimo, J. Räbinä and O. Renkonen (Helsinki, Finland) 145 ^{1}H and ^{13}C NMR analysis of the pentasaccharide Galβ(1 → 4)GlcNAcβ(1 → 3)-[GlcNAcβ(1 → 6)]Galβ(1 → 4)GlcNAc synthesized by the mid-chain β-(1 → 6)-D-*N*-acetylglucosaminyltransferase of rat serum

Notes

J. Kerékgyártó, K. Ágoston, G. Batta and Z. Szurmai (Debrecen, Hungary) 153 Syntheses of spacer-armed carbohydrate components of the *Mycobacterium avium* serocomplex serovar 8

H.P. Wessel and M. Trumtel (Basel, Switzerland) 163 Pivalates in the selective protection and activation of maltose for the synthesis of sulfated 3-deoxy-maltosyl-(1 → 4)-α,α-trehalose

A. Lubineau, E. Grand and M.-C. Scherrmann (Orsay, France) 169 New access to *C*-disaccharide analogs of α,α-trehalose using an aqueous hetero Diels–Alder reaction

J.-L. Montero, J.-Y. Winum, A. Leydet, M. Kamal, A.A. Pavia and J.-P. Roque (Montpellier, France) 175 A convenient synthesis of peracetylated glycosyl halides using bismuth(III) halides as catalysts

T. Doco, P. Williams, S. Vidal and P. Pellerin (Montpellier, France) 181 Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables

M. Kawamura, H. Nakai, T. Uchiyama, Y. Takai and M. Sawada (Osaka, Japan) 187 Synthesis of methyl 6-*O*-β-inulotriosyl-α-D-glucopyranoside by intermolecular transglycosylation reaction of cycloinulo-oligosaccharide fructanotransferase

I Announcement

III Instructions to Authors

v Graphical Abstracts

Regular Papers

M.L. Ramos, M.M. Caldeira and V.M.S. Gil (Coimbra, Portugal) 191 NMR study of the complexation of D-galactonic acid with tungsten(VI) and molybdenum(VI)

Y. Israeli and C. Detellier (Ottawa, Canada) 201 Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution

J.A.L.M. van Dorst, C.J. van Heusden, J.M. Tikkanen, J.P. Kamerling and J.F.G. Vliegenthart (Utrecht, The Netherlands) 209 Synthesis of Hex*p*-(1 → 4)-β-D-Glc*p*NAc-(1 → 2)-α-D-Man*p*-(1 → O)$(CH_2)_7CH_3$ probes for exploration of the substrate specificity of glycosyltransferases: Part II, Hex = 3-*O*-methyl-β-D-Gal, 3-deoxy-β-D-Gal, 3-deoxy-3-fluoro-β-D-Gal, 3-amino-3-deoxy-β-D-Gal, β-D-Gul, α-L-Alt, or β-L-Gal

A. Terjung, K.-H. Jung and R.R. Schmidt (Constance, Germany) 229 New 2/2-type surfactants via anomeric *O*-alkylation of mannofuranose

T. Das and M.S. Shashidhar (Pune, India) 243 Silver (I) oxide assisted *O*-alkylation of 2,4-di-*O*-benzoyl-*myo*-inositol-1,3,5-orthoformate and its 6-*O*-substituted derivatives: transannular participation of oxygen

C. Bernlind and S. Oscarson (Stockholm, Sweden) 251 Synthesis of L-*glycero*-D-*manno*-heptopyranose-containing oligosaccharide structures found in lipopolysaccharides from *Haemophilus influenzae*

J.C. Norrild, C. Pedersen and I. Søtofte (Lyngby, Denmark) 261 A highly stereoselective synthesis of 1-amino-2,5-anhydro-1-deoxyhexitols via 2-trifluoromethyl-oxazolinium intermediates

Y. Kariya, S. Watabe, M. Kyogashima, M. Ishihara (Tokyo, Japan) and T. Ishii (Ibaraki, Japan) 273 Structure of fucose branches in the glycosaminoglycan from the body wall of the sea cucumber *Stichopus japonicus*

H. Lüttge, T. Heidelberg, K. Stangier, J. Thiem and H. Bretting (Hamburg, Germany) 281 The specificity of an α-(1 → 2)-L-galactosyltransferase from albumen glands of the snail *Helix pomatia*

Notes

V. Ragoussis, L. Leondiadis, E. Livaniou and G.P. Evangelatos (Athens, Greece) 289 A simple approach to the synthesis of muramic acid and isomuramic acid: ^1H and ^{13}C NMR characterisation

M. Staaf (Stockholm, Sweden), F. Urbina (Huddinge, Sweden; León, Nicaragua), A. Weintraub (Huddinge, Sweden) and G. Widmalm (Stockholm, Sweden) 297 Structure determination of the O-antigenic polysaccharide from the enterotoxigenic *Escherichia coli* (ETEC) O101

v Graphical Abstracts

Regular Papers

Y. Okada, Y. Okazaki, K. Koizumi (Nishinomiya, Japan), K. Hara (Yokohama, Japan) and S. Kitahata (Osaka, Japan) 301 Isolation by HPLC of the positional isomers of $6^1,2^n$-di-*O*-α-D-galactopyranosyl-cyclomaltohexaose ($n = 1–6$) and determination of their structures by enzymatic degradation

P.M. Coutinho (Ames, IA, USA), M.K. Dowd (New Orleans, LA, USA) and P.J. Reilly (Ames, IA, USA) 309 Automated docking of isomaltose analogues in the glucoamylase active site

P. Rongved, J. Klaveness and P. Strande (Oslo, Norway) 325 Starch microspheres as carriers for X-ray imaging contrast agents: Synthesis and stability of new amino-acid linker derivatives

R.P. Bandwar, M.D. Sastry, R.M. Kadam and C.P. Rao (Mumbai, India) 333 Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Co(II)

R.P. Bandwar and C.P. Rao (Mumbai, India) 341 Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Ni(II)

R.C. Eerlingen, H. Jacobs, K. Block and J.A. Delcour (Heverlee, Belgium) 347 Effects of hydrothermal treatments on the rheological properties of potato starch

R.F. Ransom and J.D. Walton (E. Lansing, MI, USA) 357 Purification and characterization of extracellular β-xylosidase and α-arabinosidase from the plant pathogenic fungus *Cochliobolus carbonum*

T. Akiyama (Sapporo, Japan), N. Shibuya (Ibaraki, Japan), M. Hrmova and G.B. Fincher (Glen Osmond, Australia) 365 Purification and characterization of a (1 → 3)-β-D-glucan endohydrolase from rice (*Oryza sativa*) bran

Notes

P. Sedmera, J. Volc, V. Havlíček, S. Pakhomova (Prague, Czech Republic) and A. Jegorov (České Budějovice, Czech Republic) 375 Structural analysis of crystalline D-*erythro*-hexos-2,3-diulose (2,3-diketo-D-glucose) prepared enzymatically from D-glucose

T. Kumazawa, M. Ishida, S. Matsuba, S. Sato and J. Onodera (Yamagata, Japan) 379 Synthesis of 1-[3,5-bis-(2,3,4,6-tetra-*O*-acetyl-β-D-glucopyranosyl)-2,4,6-trihydroxyphenyl]ethanone: An intermediate of potential usefulness for synthesis of bis-*C*-glucosyl flavonoids

III Author Index

V Subject Index

IX Contents